

Tillers

BH















The BH model is the lightest fixed tiller in the range, with low energy absorption, allowing it to be used on tractors with powers of between 10 and 35 horsepower.

It is a handy and easy to transport tiller, suitable for light use on mixed flat terrain.





Universal shaft size 4







OPTIONAL



Flexible clutch

In case of sudden absorption of power there are two discs that slide, thereby redistributing the forces.




Shear bolt

They adjust the working depth of the rotary tiller.

TECHNICAL DATA

Reducer speed:



Models and Features:

	⊕ ⊕ HP	mm (in)	mm (in)	kg (lbs)	nr. 4	nr.	cat.
BH 100	10 ▶ 35	1000 (40")	1146 (45")	149 (328)	16	24	1
BH 120	10 ▶ 35	1200 (47")	1366 (54")	168 (370)	20	30	1
BH 145	10 ▶ 35	1450 (57")	1590 (63")	188 (414)	24	36	1

SICMA S.p.a. reserves the right to carry out technical and structural modifications without prior notice.

The experience that cultivates the future of your land

SICMA S.p.a. is an Italian company and a leader in the professional agricultural machinery sector. We design and create cutting-edge solutions for you, the farmer of tomorrow. Innovation and passion at your service.





Sicma SpA

Contrada Cerreto, 39 66010 Miglianico (CH) Tel. +39 0871 95841

info@sicma.it - www.sicma.it







